More Than 100 Young Children Suffered Seizures After COVID Vaccination: Study

One hundred and four children under 6 years old suffered a seizure within 42 days of a COVID-19 shot, researchers with the U.S. CDC and other institutions found.

LIONESS OF JUDAH MINISTRY

JUN 10, 2023

56 17 Share

Exposing The Darkness is a reader-supported publication. To support my work, please consider becoming a paid subscriber.

Type your email... Subscribe

One-time or recurring donations can be made through Ko-Fi:

Donate

A 1-year-old child receives a Pfizer COVID-19 vaccination in Seattle, Washington, on June 21, 2022. (David Ryder/Getty Images)

By Zachary Stieber Jun 9, 2023

More than 100 young children suffered seizures after receiving a COVID-19 vaccine, according to a new study.

One hundred and four children under 6 years old suffered a seizure within 42 days of a COVID-19 shot, researchers with the U.S. Centers for Disease Control and Prevention (CDC) and other institutions found.

Others suffered strokes, blood clotting disorders, and appendicitis, the researchers said.

They analyzed health records from the Vaccine Safety Datalink, a CDC-funded network that features sites operated by Kaiser Permanente, Marshfield Clinic, Health Partners, and Denver Health.

The researchers examined events that fit one or more of 23 prespecified outcomes, including seizures and myocarditis, a form of heart inflammation, following messenger RNA COVID-19 vaccination.

The Pfizer and Moderna COVID-19 vaccines both utilize messenger RNA technology.

Children were studied if they received a vaccine dose from June 18, 2022, to March 18, 2023; 247,011 doses were administered to children under 6 during that time. Researchers examined the events that occurred within 42 days of vaccination.

The U.S. Food and Drug Administration first authorized Pfizer's vaccine for children younger than five and Moderna's vaccine for children younger than six on June 17, 2022, despite efficacy estimates against infection being substandard or unreliable and there being no or negative evidence of protection against severe disease.

The study was published by Pediatrics, the American Academy of Pediatrics journal, on June 6.

Type of Analysis

Eric Weintraub of the CDC and the other researchers for the new study conducted a type of examination called rapid cycle analysis. It involves comparing outcomes among the vaccinated within 21 days of a shot with outcomes among the vaccinated between 22 and 42 days of a shot. Events on the same day as vaccination were excluded.

The first window of time—1 to 21 days—is described as the "primary risk interval," or the most likely period of time for the vaccinated to suffer adverse events. The latter time period was deemed a comparison interval.

The idea for the events that occur in the latter period is that "it's too late for them to be associated with a vaccine," Dr. William Schaffner, a professor of preventative medicine at Vanderbilt University who was not involved in the study but who has worked closely with the CDC, told The Epoch Times.

The researchers did not compare the vaccinated with the unvaccinated, despite indicating they would do so in the protocol (pdf) for Vaccine Safety Datalink monitoring. They have in some other studies. A request for comment to the corresponding author returned with an away message, and another author did not respond to an inquiry.

The researchers reviewed medical records for each case identified in either of the intervals, and also calculated rates to see whether any were more common in the earlier window.

What They Found

In absolute terms, researchers found a number of serious problems after vaccination, including the seizures.

The following events were detected in at least one young child one to 42 days following vaccination:

- Appendicitis
- Bell's Palsy
- Encephalitis, myelitis, or encephalomyelitis
- Guillain-Barre syndrome
- Immune thrombocytopenia
- Kawasaki disease
- Pulmonary embolism
- Stroke, hemorrhagic
- Transverse myelitis
- Venous thromboembolism

The numbers were also higher in the initial window of time for some outcomes.

In the first 21 days, for instance, 38 Pfizer recipients experienced seizures and 23 Moderna recipients experienced seizures. In the second window, 24 Pfizer recipients experienced seizures and 19 Moderna recipients experienced seizures.

There was also one case of encephalitis, myelitis, or encephalomyelitis and one case of pulmonary embolism in the initial window, compared to zero in the next window.

More events in the initial window can indicate "an early elevated risk," CDC officials have said.

But the researchers said the safety signal criteria were not met for any outcome after adjusting for factors such as race and sex.

“None of the outcomes met the signaling threshold,” they wrote.

Safety signals can indicate a vaccine side effect, though further research is needed to verify a signal.

Clinical trials for the vaccines for young children, run by the manufacturers, identified serious adverse events in 29 of the 3,013 children who received Pfizer’s shot and 24 out of 4,792 who received Moderna’s shot, including two cases of appendicitis, multiple seizures, and a case of Kawasaki disease. Thousands experienced adverse events, such as fever. Several dropped out of the trials after experiencing an adverse event.

The study investigators and the FDA said most of the serious adverse events were unrelated to the vaccination.

Reactions

In their conclusion, the researchers said the results of the study “can provide reassurance to clinicians, parents, and policymakers alike.”

They emphasized that no cases of myocarditis or pericarditis, two known side effects of the messenger RNA vaccines, were detected among the vaccinated within 42 days of vaccination.

Schaffner agreed. “We know that if you follow a half million children over the period of the year, some bad stuff is going to happen to some of those children,” he said.

About 550,000 children are in the Vaccine Safety Datalink (VSD) but fewer than half of them received a dose of a COVID-19 vaccine during the time period covered by the study.

Dr. Peter McCullough, a cardiologist who also reviewed the study, said he’s been alarmed at cases of post-vaccination problems among children reported in peer-reviewed studies.

“Because nearly all children have already had mild COVID-19 illness and are recovered, the COVID-19 vaccines were never medically necessary,” McCullough told The Epoch Times in an email. He said the new study and other papers show the vaccines are “unsafe for use in children.”

McCullough has called for the vaccines to be removed from the market because of the growing evidence of various health problems following vaccination. Regulators revoked the authorization for Johnson & Johnson’s vaccine this month.

Limitations of the study included not analyzing all potential safety concerns and the low uptake in the younger children, with just a quarter of the kids in the population in Vaccine Safety Datalink sites having received one or more doses of a vaccine.

Dr. Nicola Klein, one of the authors, reported receiving grants from Pfizer for COVID-19 vaccine clinical trials and she and another author reported receiving other funding from additional pharmaceutical companies such as Merck. Schaffner has also received funding from Pfizer in the past and is a liaison to the CDC.

Barbara Loe Fisher, president and co-founder of the National Vaccine Information Center, which seeks to inform parents and others about vaccine data, said future studies should be done by independent researchers who compare the vaccinated to the unvaccinated.

“The VSD is a government-maintained database that cannot be viewed by the public and is not easily accessible to independent researchers for oversight on or replication of study findings,” Fisher told The Epoch Times via email. “Where are the independent, methodologically sound COVID vaccine studies conducted by researchers who are not paid by government or industry that evaluate all morbidity and mortality outcomes in young children who do and do not receive mRNA COVID vaccines? That’s the study parents want to see done.”

Source: theepochtimes.com

According to the testimonies of funeral directors who wish to remain anonymous, many children are dying within months after being injected with the mRNA jabs:

Dramatic Rise in Children's Funerals: Small Coffins Ordered in Bulk. Funeral Directors Told to Keep Quiet

LIONESS OF JUDAH MINISTRY · JULY 9, 2022

Exposing The Darkness is a reader-supported publication. To support my work, please consider becoming a paid subscriber. One-time or recurring donations can be made through Ko-Fi:

Read full story →

Type your email... Subscribe

Related articles:

[SATANIC Mass Sacrifice: DESPITE Known Harms CDC Adds COVID-19 Vaccine to Routine Immunization Schedule for Children and Adolescents. Are you AWAKE yet? Our battle is SPIRITUAL]

[Sacrificing Children to Moloch]

[Mengeles From the FDA Mass Murder Advisory Committee Discuss Clinical Trials for Babies: A 17-Month-Old Baby Received a Second Dose Despite Multiple Seizures From the First]

[Teacher Speaks Out: “I Know 2 Kids Who Died Suddenly in the Last 3 Days”]

[Murderous Pediatrician: Kids Should Get New COVID Boosters]

[Satanic Pfizer: The Occult Symbolism Found On The Pfizer Mural. They Are Mocking Us]

[How the Medical Establishment Is Working With the Cabal To Facilitate Global Genocide]

[The Corona End Game. The Truth Behind The Symbols]

---

56 Likes · 6 Restacks

17 Comments

Write a comment...

Fizzygurl 13 hr ago

That photo put a dagger through my heart because my daughter had my 2 1/2 year old son jabbed. I was visiting that day and saw the bandage and asked about it not knowing they gave it in the leg. The look on my face made her try to justify why she did it. She won’t listen to anything. My days have less joy with this knowledge.

LIKE (1) REPLY ···

1 reply

Sherrie Jean Jun 10 Liked by Lioness of Judah Ministry

I'm speechless. A tragedy of Nazi proportions. It's not looking good for the future of humanity.

LIKE (2) REPLY

15 more comments...

© 2023 Lioness of Judah · Privacy · Terms · Collection notice
Substack is the home for great writing